



集团微信订阅号 集团微信服务号

报告编号 (Report ID): NSBGZ3PD2882015H9Z

# 监测报告

委托单位

金能科技股份有限公司

受测单位

金能科技股份有限公司

监测性质

委托监测

签发日期

2024年2月29日



声 明  
Statement



1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。  
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。  
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请，同时附上报告原件并预付复测费。  
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后，本单位会尽快安排复测。如果复测结果与异议内容相符，本单位将退还委托单位的复测费。  
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。  
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。  
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律责任。  
This report is only responsible for the test results of the tested samples. The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。  
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。  
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效，本单位将对上述行为严究其相应的法律责任。  
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲ 防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的。  
The report number is unique.
2. 扫描报告首页下方二维码，即可查询报告真伪。  
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线  
400-819-5688

WWW.PONYTEST.COM



集团微信订阅号

集团微信服务号


北京实验室：(010) 83055000 郑州实验室：(0371) 69350670 成都谱尼计量实验室：(028) 87702708 宁波实验室：(0574) 87736499  
北京谱尼科技公司：(010) 80415661 郑州谱尼职业卫生公司：(0371) 80967099 贵州实验室：(0851) 85221000 合肥实验室：(0551) 63843474  
北京谱尼计量实验室：(010) 82492998 新疆实验室：(0991) 6684186 上海实验室：(021) 64851999 深圳实验室：(0755) 26050909  
青岛实验室：(0532) 88706866 石家庄实验室：(0311) 85376660 苏州实验室：(0512) 62997900 深圳谱尼计量实验室：(0755) 26050909-846  
天津实验室：(022) 23607888 西安实验室：(029) 89608785 苏州汽车座椅实验室及儿童安全座椅 谱尼深圳通测：(0755) 27673339  
长春实验室：(0431) 80530198 西安创尼信息科技有限公司：(029) 81123093 碰撞实验室：(0512) 62997900 广州实验室：(020) 89224310  
沈阳实验室：(024) 22811886 西安查德威克辐射技术公司：(029) 85729073 武汉实验室：(027) 83997127 南宁实验室：(0771) 5518818  
大连实验室：(0411) 87336618 呼和浩特实验室：(0471) 3450025 武汉车附所：(027) 82318175 厦门实验室：(0592) 5568048  
哈尔滨实验室：(0451) 58627755 成都实验室：(028) 87702708 杭州实验室：(0571) 87219096

报告编号 (Report ID): NSBGZ3PD2882015H9Z

## 噪声监测报告

受测单位	金能科技股份有限公司		
受测单位地址	山东省德州市齐河县工业园区西路 1 号		
监测日期	2024.02.22	测试日期	2024.02.22~2024.02.29
监测项目	噪声	气象条件	晴, 测间最大风速 2.5m/s
样品编号	D2882015H9~D2882105H9		
监测依据	GB 12348-2008 工业企业厂界环境噪声排放标准		
监测点位 (见附图)	监测时段	监测结果 L <sub>eq</sub> [dB (A)]	
▲1	15:41~15:51	56.8	
	22:01~22:11	51.0	
▲2	14:58~15:08	59.4	
	22:30~22:40	50.4	
▲3	15:10~15:20	59.6	
	22:43~22:53	51.5	
▲4	15:27~15:37	62.0	
	22:16~22:26	50.8	
▲5	15:54~16:04	56.3	
	23:15~23:25	53.0	
备注	—		

附: 噪声监测点位示意图



附表：

主要设备情况一览表

序号	设备名称	设备型号	设备编号
1	多功能声级计	AWA6228 型	IE-948



集团微信订阅号 集团微信服务号



211520341971

报告编号 (Report ID): NSBGZ3PD2882115H9Z

# 监测报告

委托单位

金能科技股份有限公司

受测单位

金能科技股份有限公司

监测性质

委托监测

签发日期

2024年2月29日



PONY 谱尼测试  
Pony Testing International Group  
[www.ponytest.com](http://www.ponytest.com)



谱尼测试  
Pony Testing International Group

声 明  
Statement



ISO/IEC 17025:2005

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。  
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。  
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请，同时附上报告原件并预付复测费。  
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后，本单位会尽快安排复测。如果复测结果与异议内容相符，本单位将退还委托单位的复测费。  
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。  
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。  
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律责任。  
This report is only responsible for the test results of the tested samples. The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。  
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。  
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效，本单位将对上述行为严究其相应的法律责任。  
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲ 防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的。  
The report number is unique.
2. 扫描报告首页下方二维码，即可查询报告真伪。  
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线  
400-819-5688

WWW.PONYTEST.COM



集团微信订阅号 集团微信服务号


北京实验室：(010) 83055000 郑州实验室：(0371) 69350670 成都谱尼计量实验室 (028) 87702708 宁波实验室：(0574) 87736499  
北京谱尼科技公司：(010) 80415661 郑州谱尼职业卫生公司：(0371) 80967099 贵州实验室：(0851) 85221000 合肥实验室：(0551) 63843474  
北京谱尼计量实验室：(010) 82492998 新疆实验室：(0991) 6684186 上海实验室：(021) 64851999 深圳实验室：(0755) 26050909  
青岛实验室：(0532) 88706866 石家庄实验室：(0311) 85376660 苏州实验室：(0512) 62997900 深圳谱尼计量实验室 (0755) 26050909-846  
天津实验室：(022) 23607888 西安实验室：(029) 89608785 苏州汽车座椅实验室及儿童安全座椅 谱尼深圳通测：(0755) 27673339  
长春实验室：(0431) 80530198 西安创亿信息科技有限公司：(029) 81123093 碰撞实验室：(0512) 62997900 广州实验室：(020) 89224310  
沈阳实验室：(024) 22811886 西安查德威克辐射技术公司：(029) 85729073 武汉实验室：(027) 83997127 南宁实验室：(0771) 5518818  
大连实验室：(0411) 87336618 呼和浩特实验室：(0471) 3450025 武汉车附所：(027) 82318175 厦门实验室：(0592) 5568048  
哈尔滨实验室：(0451) 58627755 成都实验室：(028) 87702708 杭州实验室：(0571) 87219096

报告编号 (Report ID): NSBGZ3PD2882115H9Z

## 辐射监测报告

受测单位	金能科技股份有限公司		
受测单位地址	山东省德州市齐河县工业园区西路 1 号		
监测日期	2024.02.22	测试日期	2024.02.22~2024.02.29
环境温度	0.3 °C	相对湿度	58.7%
监测项目	工频电场强度、磁感应强度	监测点数	6 个
样品编号	D2882115H9~D2882165H9		
监测依据	HJ 681-2013 交流输变电工程电磁环境监测方法实行		
监测点位 (见附图)	工频测量 电场强度 (V/m)      磁感应强度 (μT)		
☆1 变电站东边界围墙外 5m 处	0.315	0.183	
☆2 变电站南边界围墙外 5m 处	0.251	0.034	
☆3 变电站西边界围墙外 5m 处	0.195	0.037	
☆4 变电站北边界围墙外 5m 处	0.299	0.053	
☆5 东侧金能消防大队楼一层 靠近变电站一侧	1.211	0.034	
☆6 西侧金能筛焦楼一层靠近 变电站一侧	0.253	0.036	
备注	工频测量频率为 50Hz。		

附：辐射监测点位示意图



附表：

主要设备情况一览表

序号	设备名称	设备型号	设备编号
1	电磁辐射综合场强仪	PMM8053B 型	IE-301